

Sleeve Anchors



- Call for sizes not listed
- Painted Heads Available
- Designed for Concrete Block

*If applicable, please specify head style in first space provided. Specify material in second space provided.
S=18-8 300 Series Stainless Steel Z=Zinc Plated Steel H=Hex F=Flat A=Acorn

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	BOLT DIAMETER	HEAD STYLE	MATERIAL FINISHES
25N100ASHZ	1/4 X 1"	1/4"	3/16"	HEX	ZINC PLATED
*25N137AS_	1/4 X 1-3/8"	1/4"	3/16"	FLAT, HEX, ACORN NUT	18-8 SS, ZINC PLATED
25N175ASH	1/4 X 1-3/4"	1/4"	3/16"	HEX	ZINC PLATED
*25N200AS_	1/4 X 2"	1/4"	3/16"	FLAT, HEX	18-8 SS, ZINC PLATED
*25N225AS_	1/4 X 2-1/4"	1/4"	3/16"	FLAT, HEX, ACORN NUT	18-8 SS, ZINC PLATED
*25N300ASF_	1/4 X 3"	1/4"	3/16"	FLAT, HEX	18-8 SS, ZINC PLATED
*25N400ASFZ	1/4 X 4"	1/4"	3/16"	FLAT	ZINC PLATED
*31N150AS_	5/16 X 1-1/2"	5/16"	1/4"	FLAT, HEX	18-8 SS, ZINC PLATED
31N175ASHZ	5/16 X 1-3/4"	5/16"	1/4"	HEX	ZINC PLATED
*31N250AS_	5/16 X 2-1/2"	5/16"	1/4"	FLAT, HEX	18-8 SS, ZINC PLATED
31N325ASHZ	5/16 X 3-1/4"	5/16"	1/4"	HEX	ZINC PLATED
*37N187ASH_	3/8 X 1-7/8"	3/8"	5/16"	HEX	18-8 SS, ZINC PLATED
37N325ASHZ	3/8 X 3-1/4"	3/8"	5/16"	HEX	ZINC PLATED
*37N300AS_	3/8 X 3"	3/8"	5/16"	FLAT, HEX	18-8 SS, ZINC PLATED
*37N400AS_	3/8 X 4"	3/8"	5/16"	FLAT, HEX	18-8 SS, ZINC PLATED
*37N500ASF_	3/8 X 5"	3/8"	5/16"	FLAT	18-8 SS, ZINC PLATED
*37N600ASF_	3/8 X 6"	3/8"	5/16"	FLAT	18-8 SS, ZINC PLATED
*50N225ASH_	1/2 X 2-1/4"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*50N250ASH_	1/2 X 2-1/2"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*50N337ASH_	1/2 X 3-3/8"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*50N275ASH_	1/2 X 2-3/4"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*50N300ASH_	1/2 X 3"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
50N375ASHZ	1/2 X 3-3/4"	1/2"	3/8"	HEX	ZINC PLATED
*50N400ASH_	1/2 X 4"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*50N425ASH_	1/2 X 4-1/4"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*50N450ASH_	1/2 X 4-1/2"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
50N475ASHZ	1/2 X 4-3/4"	1/2"	3/8"	HEX	ZINC PLATED
50N575ASHZ	1/2 X 5-3/4"	1/2"	3/8"	HEX	ZINC PLATED
*50N600ASH_	1/2 X 6"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*50N650ASH_	1/2 X 6-1/2"	1/2"	3/8"	HEX	18-8 SS, ZINC PLATED
*62N225ASH_	5/8 X 2-1/4"	5/8"	1/2"	HEX	18-8 SS, ZINC PLATED
*62N300ASH_	5/8 X 3"	5/8"	1/2"	HEX	18-8 SS, ZINC PLATED
*62N425ASH_	5/8 X 4-1/4"	5/8"	1/2"	HEX	18-8 SS, ZINC PLATED
62N500ASHZ	5/8 X 5"	5/8"	1/2"	HEX	ZINC PLATED
*62N600ASH_	5/8 X 6"	5/8"	1/2"	HEX	18-8 SS, ZINC PLATED
62N850ASHZ	5/8 X 8-1/2"	5/8"	1/2"	HEX	ZINC PLATED
*75N300ASH_	3/4 X 3"	3/4"	5/8"	HEX	18-8 SS, ZINC PLATED
75N325ASHZ	3/4 X 3-1/4"	3/4"	5/8"	HEX	ZINC PLATED
*75N350ASH_	3/4 X 3-1/2"	3/4"	5/8"	HEX	18-8 SS, ZINC PLATED
*75N425ASH_	3/4 X 4-1/4"	3/4"	5/8"	HEX	18-8 SS, ZINC PLATED
75N525ASHZ	3/4 X 5-1/4"	3/4"	5/8"	HEX	ZINC PLATED
*75N600ASH_	3/4 X 6"	3/4"	5/8"	HEX	18-8 SS, ZINC PLATED
*75N625ASH_	3/4 X 6-1/4"	3/4"	5/8"	HEX	18-8 SS, ZINC PLATED
75N725ASHZ	3/4 X 7-1/4"	3/4"	5/8"	HEX	ZINC PLATED
75N825ASHZ	3/4 X 8-1/4"	3/4"	5/8"	HEX	ZINC PLATED

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

If you need an item and don't see it in our catalog, we would be happy to find it for you.
Special orders are never a problem at All Points!

Wedge Anchors



We Distribute for Powers & Redhead.
Other name brands available.

- We also offer some sizes Hot Dipped Galvanized and 316 Stainless Steel.
- Test reports and approvals available for name brand items.

*If applicable, please specify head style in first space provided. Specify material in second space provided.
S = 18-8 300 Series Stainless Steel Z = Zinc Plated Steel

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE & BOLT DIAMETER	MATERIAL FINISHES
*25N175AWG	1/4 X 1-3/4"	1/4"	18-8 SS, ZINC PLATED
*25N225AWG	1/4 X 2-1/4"	1/4"	18-8 SS, ZINC PLATED
*25N325AWG	1/4 X 3-1/4"	1/4"	18-8 SS, ZINC PLATED
*37N225AWG	3/8 X 2-1/4"	3/8"	18-8 SS, ZINC PLATED
*37N275AWG	3/8 X 2-3/4"	3/8"	18-8 SS, ZINC PLATED
*37N300AWG	3/8 X 3"	3/8"	18-8 SS, ZINC PLATED
*37N375AWG	3/8 X 3-3/4"	3/8"	18-8 SS, ZINC PLATED
*37N500AWG	3/8 X 5"	3/8"	18-8 SS, ZINC PLATED
*37N650AWG	3/8 X 6-1/2"	3/8"	18-8 SS, ZINC PLATED
*50N275AWG	1/2 X 2-3/4"	1/2"	18-8 SS, ZINC PLATED
*50N375AWG	1/2 X 3-3/4"	1/2"	18-8 SS, ZINC PLATED
*50N425AWG	1/2 X 4-1/4"	1/2"	18-8 SS, ZINC PLATED
*50N525AWG	1/2 X 5-1/4"	1/2"	18-8 SS, ZINC PLATED
*50N550AWG	1/2 X 5-1/2"	1/2"	18-8 SS, ZINC PLATED
*50N625AWG	1/2 X 6-1/4"	1/2"	18-8 SS, ZINC PLATED
*50N700AWG	1/2 X 7"	1/2"	18-8 SS, ZINC PLATED
*50N850AWG	1/2 X 8-1/2"	1/2"	18-8 SS, ZINC PLATED
*50N1000AWG	1/2 X 10"	1/2"	18-8 SS, ZINC PLATED
*62N350AWG	5/8 X 3-1/2"	5/8"	18-8 SS, ZINC PLATED
*62N450AWG	5/8 X 4-1/2"	5/8"	18-8 SS, ZINC PLATED
*62N500AWG	5/8 X 5"	5/8"	18-8 SS, ZINC PLATED
*62N600AWG	5/8 X 6"	5/8"	18-8 SS, ZINC PLATED
*62N700AWG	5/8 X 7"	5/8"	18-8 SS, ZINC PLATED
*62N850AWG	5/8 X 8-1/2"	5/8"	18-8 SS, ZINC PLATED
*62N1000AWG	5/8 X 10"	5/8"	18-8 SS, ZINC PLATED
*75N425AWG	3/4 X 4-1/4"	3/4"	18-8 SS, ZINC PLATED
*75N475AWG	3/4 X 4-3/4"	3/4"	18-8 SS, ZINC PLATED
*75N550AWG	3/4 X 5-1/2"	3/4"	18-8 SS, ZINC PLATED
*75N625AWG	3/4 X 6-1/4"	3/4"	18-8 SS, ZINC PLATED
*75N700AWG	3/4 X 7"	3/4"	18-8 SS, ZINC PLATED
*75N850AWG	3/4 X 8-1/2"	3/4"	18-8 SS, ZINC PLATED
75N1000AWG	3/4 X 10"	3/4"	18-8 SS, ZINC PLATED
75N1200AWG	3/4 X 12"	3/4"	18-8 SS, ZINC PLATED
*100N600AWG	1 X 6"	1"	18-8 SS, ZINC PLATED
*100N900AWG	1 X 9"	1"	18-8 SS, ZINC PLATED
*100N1200AWG	1 X 12"	1"	18-8 SS, ZINC PLATED

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

Plastic Conical Anchors



- Light duty fastening in concrete, brick, masonry, or drywall.
- Available with or without lip.

We can also provide screw anchor kits!

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	USE WITH SCREW SIZE	COLOR
/CONB18	3/16" X 3/4"	3/16"	#4 - #6 - #8	BLUE
/CONR6-8	3/16" X 3/4"	3/16"	#4 - #6 - #9	RED W/LIP
/CONR25	1/4" X 1"	1/4"	#10 - #12	RED W/LIP
/CONB25	1/4" X 1"	1/4"	#10 - #12	BLUE
/CONB31	5/16" X 1 3/8"	5/16"	#14 - #16	BLUE
/CONR14-16	5/16" X 1 3/8"	5/16"	#14 - #16	RED W/LIP

Ribbed Plastic Anchors



- Available without lip for flush mount applications.

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	USE WITH SCREW SIZE	COLOR
/APRG18NL	3/16" X 7/8"	3/16"	#6 - #8	GRAY W/O LIP
/APRG18WL	3/16" X 7/8"	3/16"	#6 - #8	GRAY W/LIP
/APRG25NL	1/4" X 1"	1/4"	#10 - #12	GRAY W/O LIP
/APRG25WL	1/4" X 1"	1/4"	#10 - #12	GRAY W/LIP
/APRG31NL	5/16" X 1 1/4"	5/16"	#14 - #16	GRAY W/O LIP
/APRG31WL	5/16" X 1 1/4"	5/16"	#14 - #16	GRAY W/LIP

Mungo® Plugs



- Will work with lag, wood, and machine screws.

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	USE WITH SCREW SIZE	COLOR
/MN5	3/16" X 1"	3/16"	#10	ORANGE
/MN7	1/4" X 1 3/8"	1/4"	#10-#12	ORANGE
/MN8	5/16" X 1 1/2"	5/16"	#14	ORANGE
/MNU8	5/16" X 2"	5/16"	#14	ORANGE

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

If you need an item and don't see it in our catalog, we would be happy to find it for you.
Special orders are never a problem at All Points!

Fischer Plugs



- Serrated fins for better grip!

ITEM NO.	HOLE SIZE	USE WITH SCREW SIZE	COLOR
/FIS5	3/16"	#4, #6, #8	GREY
/FIS6	1/4"	#6-#10	GREY
/FIS7	1/4"	#8-#12	GREY
/FIS8	5/16"	#10-#14	GREY
/FIS10	10mm	#6-#8mm	GREY
/FIS12	12mm	#8-#10mm	GREY

Wood Screw Lead Anchors



- Light duty anchor for use in concrete, concrete block, and brick.
- Works with lag, wood, or sheet metal screws.

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	USE WITH SCREW SIZE	COLOR
/6-875AWS	6-8 X 3/4"	1/4"	#6 - #8	MILL
/6-8100AWS	6-8 X 1"	1/4"	#6 - #8	MILL
/6-8150AWS	6-8 X 1 1/2"	1/4"	#6 - #8	MILL
/10-14100AWS	10-14 X 1"	5/16"	#10 - #12	MILL
/10-14150AWS	10-14 X 1-1/2"	5/16"	#10 - #12	MILL
/16-18100AWS	16-18 X 1"	3/8"	#16 - #18	MILL
/16-18150AWS	16-18 X 1-1/2"	3/8"	#16 - #18	MILL

Hollow Wall Anchors



- Designed to be used in thin material or hollow wall.

ITEM NO.	ANCHOR SIZE	SCREW SIZE	HOLE SIZE	MATERIAL
6C150AHWZ	1/8" SHORT	6-32 X 1-1/2"	1/4"	ZINC
6C200AHWZ	1/8" LONG	6-32 X 2"	1/4"	ZINC
10C225AHWZ	3/16" SHORT	10-24 X 2-1/4"	3/8"	ZINC
10C275AHWZ	3/16" LONG	10-24 X 2-3/4"	3/8"	ZINC
25C225AHWZ	1/4" SHORT	1/4-20 X 2-1/4"	1/2"	ZINC
25C275AHWZ	1/4" LONG	1/4-20 X 2-3/4"	1/2"	ZINC

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

Powder Actuated Drive Pins



- Name brands available.
- The following are our commonly stocked items. Please call for additional sizes.
- Use to attach materials to concrete, concrete block, or steel.
- No pre-drilling.

ITEM NO.	HEAD & SHANK LENGTH	DESCRIPTION
/DP.300N50K	.300 X 1/2"	.145 SHANK KNURLED W/O PIN
/DP1/2W/PIN	.300 X 1/2"	.145 SHANK EMT STRAP W/PIN
/DP3/4W/PIN	.300 X 3/4"	.145 SHANK EMT STRAP W/PIN
/DP.300N75	.300 X 3/4"	.145 SHANK W/O WASHER
/DP.300N75/W	.300 X 3/4"	.145 SHANK W/WASHER
/DP.300N100	.300 X 1"	.145 SHANK W/O WASHER
/DP.300N100/W	.300 X 1"	.145 SHANK W/WASHER
/DP.300N125	.300 X 1 1/4"	.145 SHANK W/O WASHER
/DP.300N125/W	.300 X 1 1/4"	.145 SHANK W/WASHER
/DP.300N150	.300 X 1 1/2"	.145 SHANK W/O WASHER
/DP.300N150/W	.300 X 1 1/2"	.145 SHANK W/WASHER
/DP.300N200/W	.300 X 2"	.145 SHANK W/WASHER
/DP.300N300/W	.300 X 3"	.145 SHANK W/WASHER
/DPA.300N100PIN/WCL	.300 X 1"	.145 SHANK W/CLIP
/DPA.300N125PIN/WCL	.300 X 1-1/4"	.145 SHANK W/CLIP

Shots



- Name brands available.

ITEM NO.	DESCRIPTION
/SHOT22BR	22 BROWN SHOT
/SHOT22GR	22 GREEN SHOT
/SHOT22GRY	22 GRAY SHOT
/SHOT22YE	22 YELLOW SHOT
/SHOT25BRNDISC	25 BROWN DISC SHOT
/SHOT25GRN	25 GREEN SHOT
/SHOT25RE	25 RED SHOT
/SHOT25YE	25 YELLOW SHOT
/SHOT27GRN	27 GREEN SHOT
/SHOT27RED	27 RED SHOT
/SHOT27YE	27 YELLOW SHOT

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

If you need an item and don't see it in our catalog, we would be happy to find it for you.
Special orders are never a problem at All Points!

E-Z Anchor® by ITW Buildex



- Available in zinc diecast, or nylon.
- Single point design for easy installation.
- Easily removed.

ITEM NO.	COLOR	USE WITH SCREW SIZE	DESCRIPTION/ MATERIALS
/EZP	WHITE	#8	EZ - NYLON
/EZZ	MILL	#8	EZ - ZINC
/EZPL	WHITE	#6	EZ - NYLON
/EZT	MILL	#8	EZ TOGGLE ZINC

Double Expansion Anchors



- Name brands available.
- Designed to be used with machine screws and bolts.
- Can be used in concrete, concrete block, brick, or steel.

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	MATERIAL
25CADEZ	1/4-20 X 1"	1/2"	ZINC
31CADEZ	5/16-18 X 1-1/4"	5/8"	ZINC
37CADEZ	3/8-16 X 2"	5/8"	ZINC
50CADEZ	1/2-13 X 2"	7/8"	ZINC
62CADEZ	5/8-11 X 2-1/4"	1"	ZINC
75CADEZ	3/4-10 X 2-7/8"	1-1/4"	ZINC

Single Expansion Anchors



- Name brands available.
- Use with machine screws in concrete or brick.
- Can be used in concrete, concrete block, brick, or steel.

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	MATERIAL
25CASE	1/4-20 X 1-5/16"	1/2"	ZINC
31NCASE	5/16-18 X 1-1/2"	5/8"	ZINC
37NCASE	3/8-16 X 1-1/2"	5/8"	ZINC
50NCASE	1/2-13 X 2"	7/8"	ZINC
62NCASE	5/8-11 X 2-5/8"	1"	ZINC
75NCASE	3/4-10 X 2-3/4"	1-1/4"	ZINC

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

Hammer Drive Anchors



- Name brands available.
- Zamac body.
- Nails available in stainless steel.
- Offers more security than concrete screws. Not easily removed.

Please specify material of the pin in the space provided.
Z = Zinc Plated Steel S = 18-8 Stainless Steel

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	MATERIAL
*18R87AHD_	3/16 X 7/8"	3/16"	ZAMAC, 18-8 SS
*25N75AHD_	1/4 X 3/4"	1/4"	ZAMAC, 18-8 SS
*25N100AHD_	1/4 X 1"	1/4"	ZAMAC, 18-8 SS
*25N125AHD_	1/4 X 1-1/4"	1/4"	ZAMAC, 18-8 SS
*25N150AHD_	1/4 X 1-1/2"	1/4"	ZAMAC, 18-8 SS
*25N200AHD_	1/4 X 2"	1/4"	ZAMAC, 18-8 SS

Nylon Nail-In Anchors



- Name brands available.
- Plastic body.
- Nails available in stainless steel.
- Offers more security than concrete screws. Not easily removed.

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	MATERIAL
18R87ANAN	3/16 X 7/8"	3/16"	NYLON
25R75ANAN	1/4 X 3/4"	1/4"	NYLON
25R100ANAN	1/4 X 1"	1/4"	NYLON
25R150ANAN	1/4 X 1-1/2"	1/4"	NYLON
25R200ANAN	1/4 X 2"	1/4"	NYLON
25R300ANAN	1/4 X 3"	1/4"	NYLON

Lag Shield Anchors Short / Long



- Designed to be used with lag screws.
- Lag screws may be easily removed.

Please specify L for long or S for short in the space provided. Designed for concrete mortar or brick. Used with lags.

ITEM NO.	ANCHOR SIZE	ANCHOR LENGTH	HOLE SIZE	MATERIAL
*25NAL_	1/4"	1"S, 1-1/2"L	1/2"	LEAD
*31NAL_	5/16"	1-1/4"S, 1-3/4"L	1/2"	LEAD
*37NAL_	3/8"	1-3/4"S, 2-1/2"L	5/8"	LEAD
*50NAL_	1/2"	2"S, 3"L	3/4"	LEAD
*62NAL_	5/8"	2"S, 3-1/2"L	7/8"	LEAD
*75NAL_	3/4"	2"S, 3-1/2"L	1"	LEAD

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

If you need an item and don't see it in our catalog, we would be happy to find it for you.
Special orders are never a problem at All Points!

Machine Screw Anchors



- Powers brand available.
- For use in concrete and concrete block.
- For published test reports / values on the All Points Solid Set Anchor, please see our hurricane hardware section.



ITEM NO.	DIAMETER	HOLE SIZE	LENGTH	MATERIAL/FINISHES AVAILABLE
6CAMSZ	6-32	5/16"	1/2"	LEAD SHIELD / ZINC INSERT
8CAMSZ	8-32	5/16"	1/2"	LEAD SHIELD / ZINC INSERT
10CAMSZ	10-24	3/8"	5/8"	LEAD SHIELD / ZINC INSERT
25CAMSZ/AP	1/4-20	1/2"	7/8"	LEAD SHIELD / ZINC INSERT
25CAMSZ/R	1/4-20	1/2"	7/8"	LEAD SHIELD / ZINC INSERT PWRS BRAND
25CAMSB	1/4-20	1/2"	7/8"	LEAD SHIELD / BRASS INSERT
31CAMSZ	5/16-18	5/8"	1-1/4"	LEAD SHIELD / ZINC INSERT
37CAMSZ	3/8-16	3/4"	1-3/8"	LEAD SHIELD / ZINC INSERT
50CAMSZ	1/2-13	7/8"	1-9/16"	LEAD SHIELD / ZINC INSERT
62CAMSZ	5/8-11	1-1/8"	2-1/4"	LEAD SHIELD / ZINC INSERT
75CAMSZ	3/4-10	1-1/4"	2-1/4"	LEAD SHIELD / ZINC INSERT

MACHINE SCREW SETTING TOOLS

ITEM NO.	DESCRIPTION
/25ST	1/4" SETTING TOOL
/31ST	5/16" SETTING TOOL
/37ST	3/8" SETTING TOOL
/50ST	1/2" SETTING TOOL
/62ST	5/8" SETTING TOOL

Drop-In Anchors



- Designed for solid concrete.
- Name brands available.
- Materials available: zinc and stainless steel.



* Please specify S for 18-8 300 Series Stainless Steel or Z for Zinc Plated Steel in the space provided

ITEM NO.	INTERNAL THREAD	HOLE SIZE	LENGTH
*25CADI_	1/4-20	3/8"	1"
*37CADI_	3/8-16	1/2"	1-9/16"
*50CADI_	1/2-13	5/8"	2"
*62CADI_	5/8-11	7/8"	2-1/2"
*75CADI_	3/4-10	1"	3-1/8"

DROP IN ANCHOR SETTING TOOLS

ITEM NO.	DESCRIPTION
/25DIT/6305	1/4" DROP-IN ANCHOR SETTING TOOL #6305
/37ST6307	3/8" DROP-IN ANCHOR SETTING TOOL #6307
/50ST6309	1/2" DROP-IN ANCHOR SETTING TOOL #6309
/62ST6311	5/8" DROP-IN ANCHOR SETTING TOOL #6311
/75ST6313	3/4" DROP-IN ANCHOR SETTING TOOL #6313

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

Toggle Bolts



- Different head styles available.
- Designed for hollow wall applications.
- Zinc plated steel.
- Fully threaded for better installation.

Specify head style in space provided.
R = Round M = Mushroom

ITEM NO.	DIAMETER & LENGTH	HOLE SIZE	AVAILABLE HEAD STYLE	MATERIAL
6C200AT_Z	1/8 X 2"	3/8"	MUSHROOM, ROUND	ZINC PLATED STEEL
6C300AT_Z	1/8 X 3"	3/8"	MUSHROOM, ROUND	ZINC PLATED STEEL
6C400AT_Z	1/8 X 4"	3/8"	MUSHROOM, ROUND	ZINC PLATED STEEL
10C300AT_Z	10-24 X 3"	1/2"	MUSHROOM, ROUND	ZINC PLATED STEEL
10C400AT_Z	10-24 X 4"	1/2"	MUSHROOM, ROUND	ZINC PLATED STEEL
10C500ATRZ	10-24 X 5"	1/2"	ROUND	ZINC PLATED STEEL
10C600ATRZ	10-24 X 6"	1/2"	ROUND	ZINC PLATED STEEL
25C300AT_Z	1/4-20 X 3"	5/8"	MUSHROOM, ROUND	ZINC PLATED STEEL
25C400AT_Z	1/4-20 X 4"	5/8"	MUSHROOM, ROUND	ZINC PLATED STEEL
25C500ATRZ	1/4-20 X 5"	5/8"	ROUND	ZINC PLATED STEEL
25C600ATRZ	1/4-20 X 6"	5/8"	ROUND	ZINC PLATED STEEL
31C300ATRZ	5/16-18 X 3"	7/8"	ROUND	ZINC PLATED STEEL
31C400ATRZ	5/16-18 X 4"	7/8"	ROUND	ZINC PLATED STEEL
31C500ATRZ	5/16-18 X 5"	7/8"	ROUND	ZINC PLATED STEEL
31C600ATRZ	5/16-18 X 6"	7/8"	ROUND	ZINC PLATED STEEL
50C600ATRZ	1/2-13 X 6"	1-1/4"	ROUND	ZINC PLATED STEEL
37C400ATRZ	3/8-16 X 4"	1"	ROUND	ZINC PLATED STEEL
37C500ATRZ	3/8-16 X 5"	1"	ROUND	ZINC PLATED STEEL
37C600ATRZ	3/8-16 X 6"	1"	ROUND	ZINC PLATED STEEL

Toggle Wings



- Zinc plated steel.

ITEM NO.	SIZE	HOLE SIZE	USE WITH SCREW SIZE	MATERIAL
6CATW	1/8"	3/8"	6-32	ZINC PLATED STEEL
10CATW	3/16"	1/2"	10-24	ZINC PLATED STEEL
25CATW	1/4-20	5/8"	1/4-20	ZINC PLATED STEEL
31CATW	5/16-18	7/8"	5/16-18	ZINC PLATED STEEL
37CATW	3/8-16	1"	3/8-16	ZINC PLATED STEEL
50CATW	1/2-13	1-1/4"	1/2-13	ZINC PLATED STEEL

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

If you need an item and don't see it in our catalog, we would be happy to find it for you.
Special orders are never a problem at All Points!

Sammys® Shutter Parts for Concrete



• **Application:** For use in concrete. Any length Tapcon® may be ordered. The stainless steel cap accepts a 1/4-20 bolt. Use a 3/16" masonry drill bit to predrill for the Tapcon®. Use a 9/16" masonry bit to countersink the 1/4-20 female portion and use the torx bit to drive the anchor.



ITEM NO.	SHANK DIAMETER LENGTH
/SSS25C125	1/4 X 1-1/4"
/SSS25C175	1/4 X 1-3/4"
/SSS25C225	1/4 X 2-1/4"
/SSS25C275	1/4 X 2-3/4"
/SSS25C325	1/4 X 3-1/4"
/SSS25C375	1/4 X 3-3/4"
/SSS25C400	1/4 X 4"
/SSS25C500	1/4 X 5"
/SSS25C600	1/4 X 6"

Sammys® Installation Tools for Concrete & Wood Shutter Parts



Installation tool for
1/4 x 3/8" Rod



Torx Bit for Concrete



Power Bit for Wood

• **Application:** Installation tools for the Sammy Super Screws®.



ITEM NO.	DESCRIPTION
/SSSPOWERBITW	POWER BIT FOR WOOD SHUTTER PARTS
/SSS#14	INSTALLATION TOOL FOR 1/4" & 3/8" ROD
/SSS#15	INSTALLATION TOOL FOR 1/2" ROD & ALL HORIZONTAL MOUNTS
/SSST-25BIT	T-25 TORX BIT FOR SAMMY - FOR CONCRETE

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110

Please ask for a full listing of our SAMMYS line.

Sammys® for Wood, Steel, & Concrete

- **Concrete Application:** For use in wood. A 2" or 3" wood screw may be ordered. The 303 stainless steel cap accepts a 1/4-20 bolt.
- **Concrete Application:** Vertically attaches rod into concrete.
- **Steel Application:** Horizontally or vertically mounts 3/8" rod into concrete.
- Use with a #14SW or #15SW installation tool.



ITEM NO.	DESCRIPTION
WOOD	
/SSSGST2	1/4 X 2 LAG, 1/2" ROD, VERTICAL MOUNT FOR WOOD, GST2, #8155957
/SSSGST20-SS	1/4 X 2 LAG, 3/8" ROD, VERTICAL MOUNT FOR WOOD, GST20SS, #8068925
/SSSGST25-380	3/8 X 2-1/2 LAG, 3/8" ROD, VERTICAL MOUNT FOR WOOD, GST25-380, #8009925
/SSSGST30	1/4 X 3 LAG, 3/8" ROD, VERTICAL MOUNT FOR WOOD, GST30, #8010957
/SSSGST300	1/4 X 3 LAG, 1/4" ROD, VERTICAL MOUNT FOR WOOD, GST300, #8004957
/SSS-GST40	1/4 X 4 LAG, 3/8" ROD, VERTICAL MOUNT FOR WOOD, GST40, #8011925
/SSSSSW	1/4-20 X 2" SAMMY SHUTTER SCREW, SS, FOR WOOD, #8104957
/SSSSW-3	1/4-20 X 3" SAMMY SHUTTER SCREW, SS, FOR WOOD, #8105957
STEEL	
/SSS-12C150-8046957	12-24 X 1-1/2 TEKS #5, VERTICAL MOUNT FOR STEEL, TEK50, #8046957
/SSSSWD10	1/4-14 X 1 TEKS #3, 3/8" ROD, HORIZONTAL MOUNT, SIDEWINDER FOR STEEL, SWD10, #8050957
/SSS-25N150SWD 1520	1/4-14 X 1-1/2 TEKS #3, 3/8" ROD, HORIZONTAL MOUNT, SIDEWINDER FOR STEEL, SWD15, #8051957
/SSS-25N200SWD 20	1/4-14 X 2 TEKS #3, 3/8" ROD, HORIZONTAL MOUNT, SIDEWINDER FOR STEEL, SWD20 #8052957
/SSS-DST20	1/4-14 X 2, TEKS #3, 3/8" ROD, VERTICAL MOUNT FOR STEEL, DST20, #8042957
/SSS-DST516	5/16-18 X 1-1/4 TEKS #3, 3/8" ROD, VERTICAL MOUNT FOR STEEL, DST516, #8045957
/SSS25C100S	1/4 X 1 TEKS #3, SS, 3/8" ROD, VERTICAL MOUNT FOR STEEL
/SSS52	1/4-14 X 1-1/2 TEKS #3, 1/4" ROD, VERTICAL MOUNT FOR STEEL, DST 150, #8026957
/SSSDST25	1/4-14 X 2-1/2 TEKS #3, 3/8" ROD, VERTICAL MOUNT FOR STEEL, DST25, #8043957
/SSSDST30	1/4-14 X 3, 3/8" ROD, VERTICAL MOUNT FOR STEEL, DST30, #8044957
CONCRETE	
/SSS25C125	SAMMY SUPER SCREW 1-1/4" TAPCON W/1/4-20 SS CAP
/SSS25C175	SAMMY SUPER SCREW 1-3/4" TAPCON W/1/4-20 SS CAP
/SSS25C225	SAMMY SUPER SCREW 2-1/4" TAPCON W/1/4-20 SS CAP
/SSS25C275	SAMMY SUPER SCREW 2-3/4" TAPCON W/1/4-20 SS CAP
/SSS25C325	SAMMY SUPER SCREW 3-1/4" TAPCON W/1/4-20 SS CAP
/SSS25C375	SAMMY SUPER SCREW 3-3/4" TAPCON W/1/4-20 SS CAP
/SSS25C400	SAMMY SUPER SCREW 4" TAPCON W/1/4-20 SS CAP
/SSS25C500	SAMMY SUPER SCREW 5" TAPCON W/1/4-20 SS CAP
/SSS25C600	SAMMY SUPER SCREW 6" TAPCON W/1/4-20 SS CAP
/SSS65	5/16 X 1-3/4", 3/8" ROD, SIDEWINDER, HORIZONTAL MOUNT FOR CONCRETE, SWC 20, #8061957
/SSSCST20	5/16 X 1-3/4, 3/8" ROD, VERTICAL MOUNT FOR CONCRETE, CST20, #8059957
/SSSCST200	5/16 X 1-3/4", 1/4" ROD, VERTICAL MOUNT FOR CONCRETE, CST200, #8058957

Our Trucks Deliver Throughout SE & SW Florida

To Place an Order Please Call Customer Service at 1-800-226-5555 or Fax to 800-582-6110